



**WS 6215-LED-Z10-DW**  
**The LED Wedge™**  
 DIM TO WARM LED WALL SCONCE

**PROJECT**

**TYPE**




CROSS SECTION



TOP VIEW

- Cast Aluminum Housing
- Round Backplate standard
- 2,800 Lumens, 24 Watts standard
- 117 Lumens per Watt
- 3000K - 1800K Range
- 0-10V Dimming Compatible
- Universal Voltage (120-277V)
- Clear Micro Prismatic Lens standard
- Rich Powder Coat Finish
- Recommended Mounting Box: 4" Octagonal, min. 2" deep
- UL and CUL Listed Damp Location

Modifications and custom configurations are available.  
 Please consult factory.



BLACK WHITE COPPER TITANIUM OIL RUBBED BRONZE

ALSO AVAILABLE IN CUSTOM COLORS AND RAW CAST ALUMINUM (NO FINISH)

**ORDERING FORMAT**

<u>SERIES</u>	<u>DIMMING</u>	<u>KELVIN RANGE</u>	<u>CRI</u>	<u>FINISH</u>	<u>OPTIONAL ACCESSORIES</u>
<b>WS-6215-LED-Z10</b> The LED Wedge™	<b>U</b> 0-10V Dimming to 10%	<b>DW</b> Dim to Warm 3000K to 1800K	<b>90</b> 90+	<b>WHP</b> White Powder Coat	<b>DIFFUSER</b> <b>WS-SD-S2</b> Saw Tooth Diffuser
	<b>ELSD-U</b> eldoLED SOLOdrive 0-10V Dimming to 0.1% (remote only)			<b>BLP</b> Black Powder Coat	<b>ADJUSTMENT</b> <b>WS-SK</b> Swivel Knuckle allows for 34° adjustment (17° up or down)
				<b>COP</b> Copper Powder Coat	<small>Finish selection will match fixture unless otherwise specified.</small>
				<b>TTP</b> Titanium Powder Coat	<b>BACKPLATE</b> <b>WS-RD</b> Round Backplate (standard with fixture)
				<b>OBP</b> Oil Rubbed Bronze Powder Coat	<b>WS-SQ</b> Square Backplate
				<b>RAW</b> Raw Cast Aluminum (no finish)	<small>Finish selection will match fixture unless otherwise specified.</small>
				<b>CC</b> Custom Color	
					<b>LENS</b> <b>WS-L-S2-MP-CL</b> Clear Micro Prismatic Lens (standard with fixture)
					<b>WS-L-S2-MP-FR</b> Frosted Micro Prismatic Lens



### RICH, DURABLE POWDER COAT FINISHES



**WHP**  
WHITE POWDER COAT




**BLP**  
BLACK POWDER COAT



**TTP**  
TITANIUM POWDER COAT




**OBP**  
OIL RUBBED BRONZE POWDER COAT



**COP**  
COPPER POWDER COAT

ALSO AVAILABLE IN  
**RAW** RAW CAST ALUMINUM  
(NO FINISH)  
**CC** CUSTOM COLORS

### COMPUTER DESIGNED SPECULAR REFLECTORS (halogen fixtures only)



LED FIXTURES DESIGNED TO PERFORM AS OUR HALOGEN FIXTURES

### SPECIFICATION GRADE CONSTRUCTION




SPECIFICATION GRADE  
CAST ALUMINUM



SPECIFICATION GRADE  
FORMED STEEL


### WALL SCONCE BACKPLATES

OUR WALL SCONCE FIXTURES COME STANDARD WITH ROUND, SQUARE OR RECTANGULAR BACKPLATES IN MATCHING POWDERCOAT FINISHES




### SWIVEL KNUCKLES

OUR OPTIONAL SWIVEL KNUCKLE ALLOWS FOR 34° ADJUSTMENT (17° UP OR DOWN) FOR OPTIMUM LIGHT DIRECTION



### CUSTOMIZATION

CUSTOM ACCESSORIES ARE AVAILABLE INCLUDING STEMS, SHIELDING, SHROUDS AND BACKPLATES. PLEASE CONSULT THE FACTORY ON YOUR CUSTOM DESIGNED PROJECT.



	<b>ADJUSTMENTS</b>		<b>BACKPLATES</b>	
	<b>SWIVEL KNUCKLE</b>		<b>STANDARD BACKPLATE</b>	<b>OPTIONAL BACKPLATE</b>
<b>WEDGE™</b>				
WS-6215-HAL	WS-SK		WS-RD	WS-SQ
WS-6215-LED-Z10	WS-SK		WS-RD	WS-SQ
WS-6215-LED-Z10-DW	WS-SK		WS-RD	WS-SQ
WS-6215-LED-ELV-1	WS-SK		WS-RD	WS-SQ
WS-6215-LED-ELVT-1-DW	WS-SK		WS-RD	WS-SQ
<b>VARIAL™</b>				
WS-6230-HAL	INCL.		WS-RD	WS-SQ
WS-6230-LED-ELV-1	INCL.		WS-RD	WS-SQ
<b>WEDGE LENS™</b>				
WS-7215-HAL	WS-SK		WS-SQ	WS-RD
WS-7215-LED-ELV-1	WS-SK		WS-SQ	WS-RD
<b>DOUBLE WEDGE LENS™</b>				
WS-7230-HAL	WS-SK		WS-RT	N/A
WS-7230-LED-ELV-1	WS-SK <i>(requires 2)</i>		WS-RT	N/A
<b>ADA WEDGE™</b>				
WS-8815-HAL	N/A		WS-RD-LP	N/A

	<b>DIFFUSERS</b>		<b>LENSES</b>				
	<b>SAW TOOTH DIFFUSER</b>		<b>CLEAR TEMPERED</b>	<b>FROSTED TEMPERED</b>	<b>CLEAR MICRO PRISMATIC</b>	<b>FROSTED MICRO PRISMATIC</b>	<b>CLEAR DIAMOND PATTERN</b>
<b>WEDGE™</b>							
WS-6215-HAL	WS-SD-S1	WS-L-S1-CL	WS-L-S1-FR	N/A	N/A	N/A	
WS-6215-LED-Z10	WS-SD-S2	N/A	N/A	WS-L-S2-MP-CL	WS-L-S2-MP-FR	N/A	
WS-6215-LED-Z10-DW	WS-SD-S2	N/A	N/A	WS-L-S2-MP-CL	WS-L-S2-MP-FR	N/A	
WS-6215-LED-ELV-1	WS-SD-S2	N/A	N/A	WS-L-S2-MP-CL	WS-L-S2-MP-FR	N/A	
WS-6215-LED-ELVT-1-DW	WS-SD-S2	N/A	N/A	WS-L-S2-MP-CL	WS-L-S2-MP-FR	N/A	
<b>VARIAL™</b>							
WS-6230-HAL	WS-SD-S1	WS-L-S1-CL	WS-L-S1-FR	N/A	N/A	N/A	
WS-6230-LED-ELV-1	WS-SD-S2	N/A	N/A	WS-L-S2-MP-CL	WS-L-S2-MP-FR	N/A	
<b>WEDGE LENS™</b>							
WS-7215-HAL	WS-SD-S3	WS-L-S3-CL	WS-L-S3-FR	WS-L-S3-MP-CL	WS-L-S3-MP-FR	WS-L-S3-DP-CL	
WS-7215-LED-ELV-1	WS-SD-S3	N/A	N/A	WS-L-S3-MP-CL	WS-L-S3-MP-FR	WS-L-S3-DP-CL	
<b>DOUBLE WEDGE LENS™</b>							
WS-7230-HAL	WS-SD-S4	WS-L-S4-CL	WS-L-S4-FR	WS-L-S4-MP-CL	WS-L-S4-MP-FR	WS-L-S4-DP-CL	
WS-7230-LED-ELV-1	WS-SD-S4	N/A	N/A	WS-L-S4-MP-CL	WS-L-S4-MP-FR	WS-L-S4-DP-CL	
<b>ADA WEDGE™</b>							
WS-8815-HAL	WS-SD-S1	WS-L-S1-CL	WS-L-S1-FR	N/A	N/A	N/A	